

26	HASCO	Z00_27_30_X65	LEADER PIN	4
25	HASCO	Z11/36/30	LEADER PIN BUSHING	4
24	PROGRESSIVE	SB37L6	BAFFLE	8
23	POLYSHOT	AS SUPPLIED	MANIFOLD	1
22	PROGRESSIVE	EPD03L125	EJECTOR PIN	4
21	PROGRESSIVE	EPD016X3L125	EJECTOR PIN	24
20	PROGRESSIVE	EPD016X3L125	EJECTOR PIN	24
19	PROGRESSIVE	SP150L3	SUPPORT PILLAR	2
18	DMS	GB5001	GUIDE BUSHING	4
17	DMS	SSP-36X76	GUIDE PILLAR	4
16	MSC	M12 X 1.25 X 150	SHCS	6
15	MSC	M10 X 30MM	SHCS	4
14	PROGRESSIVE	EPD18L160	RETURN PIN	4
13		EJRET_1315A_13_13		1
12		SP_7100		8
11		EJPLT_1315A_13_13_15_15_		1
10	DME	6501	LOCATING RING	1
9		TCP_1315A_13_13		1
8	LINDQUIST	H13_8.00 X 8.00 X 1.375	CORE BLOCK	1
7		AP_1315A_13_13_1_3_8		1
6	LINDQUIST	H13_8.00 X 8.00 X 1.375	CAVITY BLOCK	1
5		BP_1315A_13_13		1
4		TD_34238TD		2
3		Ejector Housing		1
2		Support Plate		1
1		Default		4
ITEM NO.	VENDOR	PART NUMBER	DESCRIPTION	QTY.

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES

TOLERANCES:

FRACTIONAL ±

ANGULAR: MACH ± .25

TWO PLACE DECIMAL ± .01

THREE PLACE DECIMAL ± .001

FOUR PLACE DECIMAL ± .0005

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL:

FINISH:

DRAWN: R.Ikoneri

CHECKED:

ENG APPR:

MFG APPR:

G.A.:

COMMENTS:


NAME: DATE:

CUSTOMER:



TITLE:

SIZE: DWG. NO. **D** preliminary REV

SCALE: 1:1 SHRINK: .0225"/' SHEET 1 OF 4




UNLESS OTHERWISE SPECIFIED:		NAME	DATE	CUSTOMER:
DIMENSIONS ARE IN INCHES		DRAWN	R.Ikonen	
TOLERANCES:		CHECKED		TITLE:
FRACTIONAL ±		ENG APPR.		
ANGULAR: MACH ± .25		MFG APPR.		
TWO PLACE DECIMAL ± .01		Q.A.		
THREE PLACE DECIMAL ± .001		COMMENTS:		
FOUR PLACE DECIMAL ± .0005				
INTERPRET GEOMETRIC TOLERANCING PER:				
MATERIAL:				
FINISH:				
SIZE	DWG. NO.	REV		
D	preliminary			
SCALE: 1:1	SHRINK: .0225"/1"	SHEET 2 OF 4		



DETAIL A
SCALE 4 : 1

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	CUSTOMER:
DIMENSIONS ARE IN INCHES		DRAWN	R.Ikonen	TITLE:
TOLERANCES:		CHECKED		
FRACTIONAL ±		ENG APPR.		
ANGULAR: MACH ± .25		MFG APPR.		
TWO PLACE DECIMAL ± .01		G.A.		
THREE PLACE DECIMAL ± .001		COMMENTS:		
FOUR PLACE DECIMAL ± .0005				
INTERPRET GEOMETRIC TOLERANCING PER:				
MATERIAL:				
FINISH:				

SIZE DWG. NO. REV
D preliminary
 SCALE: 1:1 SHRINK: .0225"/1 SHEET 3 OF 4



UNLESS OTHERWISE SPECIFIED:		NAME	DATE	CUSTOMER:
DIMENSIONS ARE IN INCHES		DRAWN	R.Ikonen	
TOLERANCES:		CHECKED		TITLE:
FRACTIONAL \pm		ENG APPR.		
ANGULAR: MACH \pm .25		MFG APPR.		
TWO PLACE DECIMAL \pm .01		Q.A.		
THREE PLACE DECIMAL \pm .001		COMMENTS:		
FOUR PLACE DECIMAL \pm .0005				
INTERPRET GEOMETRIC TOLERANCING PER:				
MATERIAL:				
FINISH:				
SIZE	DWG. NO.			REV
D	preliminary			
SCALE: 1:1	SHRINK: .0225"/1"			SHEET 4 OF 4